

The Andhra Pradesh State Cooperative Bank Ltd. (A State Partnered Scheduled Bank)



Ref: APCOB/ITD/1424008/DIGITAL SIGNAGES/2025-26

01.11.2025

Short Tender Notice

Supply and Installation of Digital standee and vertical wall mounted Digital Displays for APCOB

Preface:

The Andhra Pradesh State Co-operative Bank Limited (APCOB) is one of the most respected and leading Bank in the State of Andhra Pradesh with 18 Branches in CRDA region of Andhra Pradesh State.

Objective:

To enhance the Bank's in-premises digital communication infrastructure and customer engagement by procuring and installing one high-visibility digital standee and three vertically oriented wall-mounted displays at strategic locations within the Bank's Head Office. These displays will convey timely information, promote banking products and schemes, improve visual appeal, enable dynamic content updates, and support brand visibility.

We invite sealed quotations from qualified local vendors for the Supply and Installation of Digital standee and vertical wall mounted Digital Displays for APCOB

Schedule:

Bid Submission Start Date	01.11.2025		
Bid Submission End Date	04.11.2025		
Application Fee	500(Rupees Five Hundred Only)		
Point of Contact for Bid Submission	Sri. B Dinesh Kumar		
	General.Manager		
	The A.P.State Co.op Bank Ltd.,		
	NTR Sahakara Bhavan, Governorpet,		
	Vijayawada 520002		
	Phone: 0866 2429094		
Address for Tender Submission	Sri. B Dinesh Kumar		
	General.Manager		
	The A.P.State Co.op Bank Ltd.,		
	NTR Sahakara Bhavan, Governorpet,		
	Vijayawada 520002		
	Phone: 0866 2429094		

• Bank reserves the rights for any changes in the tender like changes in bids notification, bids opening, evaluation of bids and vendors etc.

Scope of Work: Supply and Installation of Digital standee and vertical wall mounted Digital Displays.

The details of tender are as under.

S	Item	Quantity
no		
1	Digital Standee with Kiosk Enclosure	1 No
2	Vertical Wallmounted Digital Displays	3 No

SPECIFICATIONS FOR 65-inch Digital Standee with Kiosk and Enclosure

Parameter	Specification
Panel Technology	IPS/VA
Display Size	65 inch
Aspect Ratio	16:9
Back Light Type	Direct
Native Resolution	3840x2160 (UHD)
Refresh Rate	60Hz
Brightness	300nit (Typ.)
Viewing Angle (H x V)	178 x 178
Color Depth	10-bit(D), 1.07 Billion colors
Response Time	8ms (G to G)
Operation Hours (Hours/Day)	16/7
Orientation	Both Portrait & Landscape
Input	HDMI (3, HDCP 2.2 / 1.4), USB 2.0 Type A (2)
Output	Audio
External Control	RS232C In/Out (4 Pin Phone Jack), RJ45 (LAN)
	In
Memory & Smart Features	8 GB internal memory, Built-in Wi-Fi, Auto
	Brightness Sensor, WebOS 6.0, Tizen OS
Smart Functions	Embedded CMS, USB Plug & Play, Fail Over,
	Booting Logo, URL Playback, SNMP, Wake on
	LAN, HDMI-CEC
Operation Temperature	0°C to 40°C (Portrait Scene: up to 35°C)
Operation Humidity	10% to 80%
Power Supply	AC 100-240V~, 50/60Hz, Built-in Power
Power Consumption	Typical: 80W, Max: 120W
Speaker	Yes
Safety	CB Certification
EMC	FCC Class 'A' / CE
Accessories	Remote Controller (2 batteries), Power Cord,
	Regulation Book, Phone to D-Sub9 Gender,
	Cable Holder
Frame Thickness	1.6mm

Back Door Thickness	1mm		
Base Thickness	1.6mm		
Height	1920mm		
Width	805mm		
Depth	80mm		
Base Height with Wheels	130mm		
Base Width	810mm		
Base Depth	400mm		
Wheels	Yes		
Wheel Size	2"		
Powder Coated	Yes		
PU Paint	Yes		
Color	Silver finish		
Power Socket Board	Yes		
Power Output	Yes		
HDMI Port	Yes		
USB Port	Yes		
LAN Port	Yes		
Power Cable	5 meters included		
Warranty	Minimum 3 Years onsite support		
CMS	With CMS License Support(perpetual)		
Remote Management	RS232C / LAN control, SNMP, Wake-on-LAN, HDMI-CEC		
Smart Features	Screen share, URL playback, USB plug & play, failover, auto brightness, cloning, SNMP		
Supported Media Formats	JPEG, PNG, MP4, WMV, PDF, etc.		
Network Connectivity	Built-in Wi-Fi, RJ45 LAN port		
Security	Password protection, encrypted storage,		
	secure boot		
Playback Control	Auto resume, time-based scheduling, loop		
	playback, volume control		
Diagnostics	Error logging, device health monitoring, usage		
	reports		

SPECIFICATIONS FOR 43-inch Wall-Mounted Digital Display with CMS

Parameter	Specification	
Panel Technology	IPS/VA	
Aspect Ratio	16:9	
Display	43 inch	
Back Light Type	Direct	
Native Resolution	3840x2160 (UHD)	
Refresh Rate	60Hz	
Brightness	300nit (Typ.)	
Viewing Angle (H x V)	178 x 178	
Color Depth	10-bit(D), 1.07Billon colors	
Response Time	8ms (G to G)	
Operation Hours (Hours/Day)	16/7	
Orientation	Both Portrait & Landscape	
Input	HDMI (3, HDCP 2.2 / 1.4), USB 2.0 Type A (2)	
Output	Audio	
External Control	RS232C In / Out (4 Pin Phone Jack), RJ45 (LAN)	
	In	

Memory & Smart Features	1) Internal Memory 8 GB, Built-in Wi-Fi, Temperature Sensor, Auto Brightness Sensor, webOS 6.0 and Tizen OS 2)Embedded CMS (Local Contents Scheduling, Group Manager), USB Plug & Play, Fail Over, Background Image (Booting Logo Image, No Signal Image) 3) Screen Share, Play via URL, Setting Data Cloning, SNMP, ISM (Image Sticking Minimization) Method, Control Manager, Smart Energy Saving, PM Mode, Wake on LAN, Beacon, HDMI-CEC (Compatibility may differ by equipment), SI Sever Setting, webRTC,		
On a vation Tomorous towa	Pro:Idiom		
Operation Temperature	0 °C to 40 °C (Portrait Scene : 0 °C to 35 °C)		
Operation Humidity	10 % to 80 %		
Power Supply	AC 100-240V~, 50/60Hz		
Power Type	Built-in Power		
Тур.	80 W		
Max.	120 W		
Speaker	Yes		
Safety	СВ		
EMC	FCC Class "A" / CE		
Accessories	Remote Controller(include battery 2ea), Power Cord, Regulation Book, Phone to D-Sub9 Gender, Cable Holder		
Warranty	3 Years		
CMS	With CMS License Support(perpetual)		
Remote Management	RS232C / LAN control, SNMP, Wake-on-LAN, HDMI-CEC		
Smart Features	Screen share, URL playback, USB plug & play, failover, auto brightness, cloning		
Supported Media Formats	JPEG, PNG, MP4, WMV, PDF, etc.		
Network Connectivity	Built-in Wi-Fi, RJ45 LAN port		
Security	Password protection, encrypted storage, secure boot		
Browser Support	HTML5-compliant, Chromium-based browser		
Diagnostics	Error logging, device health monitoring, usage reports		

Eligibility Criteria:

- 1. The bidder must be a Registered Company and having its operations for a minimum period of 3 Years and bidder may be MSME/Registered firm/LLC.
- 2. Average Annual financial turnover during the last / Previous 3 years ending 31st March of 2024 should not be less than 10 Lakhs.
- 3. Bidder must have its own valid PAN No. and GST Registration No. TIN & CIN registered in the state of Andhra Pradesh.
- 4. The bidder must submit Manufacturing Authorization form (MAF).

Terms and Conditions:

- The delivery and installation of the items should be complete within 1 -2 week from the date of Purchase Order.
- 100% Payment shall be made after successful delivery and installation of the above items along with the delivery challan and installation reports.
- Warranty period of the above items is three years and warranty certificate shall be submitted and support should be provided during warranty whenever a request is raised by the bank.
- Any malfunction, breakdown, or physical damage reported during the warranty period shall be addressed by the vendor within 24 hours of notification, without additional cost to APCOB.
- No additional charges will be paid.
- Rate contract shall be 6 months from the date of purchase order.

Submission of Bids

Technical Bid:

- 1. Submit in a sealed envelope marked "Technical Bid".
- 2. Include compliance with specifications, signed eligibility documents, and no pricing information.

Commercial Bid:

- 1. Submit in a separate sealed envelope marked "Commercial Bid".
- 2. Include price details and total cost.

Note:

- 1. Technical and Commercial Bids must be in separate envelopes.
- Only technically qualified bids will be considered for the opening of the commercial bids, and this will take place only after a thorough evaluation of the technical bids to ensure that the products offered fully meet the specifications required by the Bank."

Sd/-General Manager